



Article designation EV-SET-T2AC-BAS-RCM1-20ASE12

Manufacturer

PHOENIX CONTACT GmbH & CO KG

Flachsmarktstr. 8
D-32825 Blomberg

Department:

E-Mobility

Phone:

+49 5235/3-00

Fax:

+49 5235/3-4 1200

E-Mail:

info@phoenixcontact.com

Project number:


Article number:


1628080


Version: 02

Year of manufacture: 2016

EPLAN-Version: 2.5.4







Charging controller

Residual current monitoring device

+ Local resources indicator +Location / Page / Lath	Quantity QU	Designation	Type number No. manufacturer	Manufacturer Distributor	Ordering number	Pos
+S1-12A1 +S1/12.0	1 Piece	Charging controller	EV-CC-AC1-M3-CBC-SER-HS 1622452	PXC PXC	PXC.1622452	
+S1-12A1 +S1/12.0	1 Piece	End clamp	CLIPFIX 35-5 3022276	PXC PXC	PXC.3022276	
+S1-11F1 +S1/11.3	1 Piece	Miniature circuit breaker 400V 6KA, 3-POLE, B, 25A, D=70MM				
+S1-11F1 +S1/11.3	1 Piece	End clamp	CLIPFIX 35-5 3022276	PXC PXC	PXC.3022276	
+S1-11F2 +S1/11.3	1 Piece	RCCB TYPE A 25/4 30MA 4MW Res.current op.circuit breaker SENTRON				
+S1-12K1 +S1/12.1	1 Piece	INSTA CONTACTOR WITH 4 NO CONTACTS CONTACT FOR AC 230, 400V 40A ACTIVATION AC230V DC220V				
+S1-12K1 +S1/12.1	1 Piece	End clamp	CLIPFIX 35-5 3022276	PXC PXC	PXC.3022276	
+S1-12S1 +S1/12.2	1 Piece	Selector switch actuator, 1N/O, 2 Pos., Front fixing				
+S1-12S1 +S1/12.2	2 Piece	End clamp	CLIPFIX 35-5 3022276	PXC PXC	PXC.3022276	
+S1-12T1 +S1/12.6	1 Piece	Differential current monitoring	EV-RCM-C1-AC30-DC6 1622450	PXC PXC	PXC.1622450	
+S1-12T1 +S1/12.6	1 Piece	End clamp	CLIPFIX 35-5 3022276	PXC PXC	PXC.3022276	
+S1-XS1 +S1/11.2	1 Piece	Socket Outlet	EV-T2M3SE12-3AC20A-0,7M2,5E10 1405213	PXC PXC	PXC.1405213	
+S1-XS1 +S1/11.2	1 Piece	Protective covers	EV-T2SC 1405217	PXC PXC	PXC.1405217	

Terminal diagram

PXC_F13_020

Function text								Cable name	Strip						Cable name					Page / column
								Cable type	Target designation	Connection point	Terminal	level	Jumper	Target designation	Connection point	Cable type				
Einspeisung 400V 50Hz/ 25A									+EXT1-WC01	L1	1		•	-11F1	1					/10.1
												0	•							
Einspeisung 400V 50Hz/ 25A									+EXT1-WC01	L2	2		•	-11F1	3					/10.1
												0	•							
Einspeisung 400V 50Hz/ 25A									+EXT1-WC01	L3	3		•	-11F1	5					/10.2
												0	•							
Einspeisung 400V 50Hz/ 25A									+EXT1-WC01	N	4		•	-11F2	N.					/10.2
													•	-12A1	PWR:N					
Einspeisung 400V 50Hz/ 25A											5		•	-12T1	PWR:A1					/10.2
													•	-12K1	A2					
Einspeisung 400V 50Hz/ 25A											6		•							/10.3
=									+EXT1-WC01	PE	7		•	-11X1	5					/10.3
														-12A1	IO:PE					
Einspeisung 400V 50Hz/ 25A											8		•							/10.3
=											9		•							/10.4

PXC_F13_020

[illegible]

