

box terminal 3 units accessory for: 3VA1 400/630 3VA2 400/630



Model	
Product brand name	SENTRON
Product designation	accessories
Accessories	Box terminal
General technical data	
Designation / of the terminal	TS1.5
Connections according IEC	
IEC-marking / of terminals	NXB 35-300 mm ² 1/0-500 kcmil
Connectable conductor cross-section	
• for copper cable / stranded / minimum	35 mm ²
• for copper cable / stranded / maximum	300 mm ²
Type of connectable conductor cross-sections / of the laminated conductor rails	
• minimum	2 - 10x 20 mm x 1 mm
• maximum	2 - 10x 24 mm x 1 mm
Wire stripping length	26.5 mm

Connections according UL

UL-marking / of terminals	TS1.5 Xuebote
Connectable conductor cross-section • for copper cable / stranded / minimum • for copper cable / stranded / maximum • for copper cable / finely stranded / minimum • for copper cable / finely stranded / maximum • for copper cable / finely stranded / with core end processing / minimum • for copper cable / finely stranded / with core end processing / maximum	1/0 AWG 500 kcmil 1/0 AWG 500 kcmil 1/0 AWG 500 kcmil
Tightening torque / when using copper cables • stranded • finely stranded	1/0 - 4/0: 140 lb-in 250 -500 kcmil: 248 lb-in 1/0 - 4/0: 140 lb-in 250 -500 kcmil: 248 lb-in

Certificates

General Product Approval	EMC	Declaration of Conformity	Test Certificates	Shipping Approval
Miscellaneous 	 RCM	 EG-Konf.	Type Test Certificates/Test Report	 LRS

other

[Manufacturer Declaration](#)
[Confirmation](#)
[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9483-0JA13>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9483-0JA13>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9483-0JA13

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

05/06/2020