

Typ
Catalog No.
Alternate Catalog No.

IZMX-DC40-F-1
184236
68D2539G04

Dodavatelský program

Sortiment			Příslušenství
Accessories			Degree of protection IP55
Accessories			Protective cover
			The front of the circuit-breaker projects through the door cut-out. The protective cover covers the circuit-breaker and the door cut-out and makes it possible to have an IP55 degree of protection. The protective cover can be swung open to the left or right.
Použitelný pro			IZMX40...F INX40...F
Informace k rozsahu dodávky			Montážní sada obsahuje ochranný kryt, otočný kloub, těsnicí rám dveří a upevňovací materiál.
Montážní jednotky			pevná montáž

Ověření návrhu podle ČSN EN 61439

Technické údaje pro ověření konstrukce			
Provozní teplota okolí min.		°C	-25
Provozní teplota okolí max.		°C	70

Technická data podle ETIM 7.0

Low-voltage industrial components (EG000017) / Accessories for low-voltage switch technology (EC002498)			
Elektrotechnika, automatizační technika a technika řízení procesu / Nízkonapetová spínací technika / Komponenta pro nízkonapetovou spínací techniku / Komponenta pro nízkonapetovou spínací techniku (příslušenství) (ec1@ss10.0.1-27-37-13-92 [AKN570013])			
Type of accessory			Cover



