




Barva: ■ Stříbrná

Shield termination WINSTA® MIDI 3-pole

When using the shield termination from the WINSTA® MIDI product line, zero-defect installation is guaranteed. An extensive range of accessories complements the WINSTA® product line from WAGO. WINSTA® MIDI with Push-in CAGE CLAMP® spring pressure connection technology is used in can be found in a variety of projects you can use for quick, easy, flexible, and secure installation.

Lower costs through fast commissioning and elimination of service expenses – solutions from WINSTA® MIDI

The WINSTA® Pluggable Connection System is perfectly tailored to the strict requirements of building installation. It makes electrical installation pluggable, and thus more efficient, more reliable, and error-free. Use of this pre-assembled system reduces time spent on assembly and installation errors at the construction site. Take advantage of the pluggable version of our maintenance-free spring pressure connection technology too! Plan your installation with with protection against mismatching from WAGO.

- pre-assembled versions
- quick replacement of defective units during ongoing operation

Údaje o připojení

Připojení 1

Počet pólů	3
------------	---

Geometrické údaje

Šířka	25,6 mm / 1.004 palců
Výška	6,95 mm / 0.274 palců
Hloubka	44,8 mm / 1.764 palců

Mechanické údaje

Vhodné	Pro zásuvku a zástrčku
--------	------------------------



Údaje o materiálu	
Upozornění k údajům o materiálu	
Zde najdete informace o specifikaci materiálu	
Barva	Stříbrná
Třída hořlavosti podle UL94	V0
Požární zatížení	0 MJ
Hmotnost	2,4 g
Materiál	Měď (SE Cu); speciální pocínování

Požadavky na prostředí	
Teplota pro zpracování	-5 ... +40 °C
Trvalá provozní teplota	-35 ... +85 °C
Upozornění k trvalé provozní teplotě	Izolační části pro teploty ≤ 105 °C

Obchodní údaje	
Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	50 ks
Druh balení	Box
Země původu	DE
GTIN	4045454662684
Číslo celního tarifu	85366990990

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

Ke stažení	
Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 770-523	↓

Documentation			
Bid Text			
770-523	19.02.2019	xml 2.60 KB	↓
770-523	11.03.2015	doc 21.50 KB	↓



CAD/CAE-Data	
CAE data	
WSCAD Universe 770-523	