

Barva:  Bílá

Locking system WINSTA® MINI

The locking system from the WINSTA® MINI product line is the intelligent solution for reliable electrical installation. You can rely on the level of quality of WINSTA® components from WAGO for your electrical installation accessories too. Due to its particularly compact dimensions, our WINSTA® MINI Pluggable Connection System with Push-in CAGE CLAMP® spring pressure connection technology is specifically suitable in very restricted spaces, i.e., for connections when very little room is available.

WINSTA® MINI solutions for your electrical installation – protected against mismatching and maintenance-free

The WINSTA® Pluggable Connection System allows pluggable electrical installation. This saves time, lowers costs, and reduces the need for servicing. Choose durability and quality – with protection against mismatching from WAGO makes the electrical installation of electrical components substantially easier.

- compact design for conductors with a cross-section up to 1.5 mm²
- quick replacement of defective units during ongoing operation

Údaje o připojení

Připojení 1

Způsob ovládání

Ovládací nástroj

Mechanické údaje

Vhodné	Pro neupevněná propojení; ovládání pomocí ovládacího nástroje
--------	---

Údaje o materiálu

Upozornění k údajům o materiálu

[Zde najdete informace o specifikaci materiálu](#)

Barva	Bílá
Izolační materiál	Polyamid (PA 66)
Třída hořlavosti podle UL94	V0
Požární zatížení	0,014 MJ
Hmotnost	0,4 g



Požadavky na prostředí	
Teplota pro zpracování	-5 ... +40 °C
Trvalá provozní teplota	-35 ... +85 °C
Upozornění k trvalé provozní teplotě	Izolační části pro teploty ≤ 105 °C

Obchodní údaje	
Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	100 (50) ks
Druh balení	Box
Země původu	DE
GTIN	4045454232993
Číslo celního tarifu	85389099990

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

Atesty/certifikáty

Approvals for marine applications



Schválení	Standardní	Název certifikátu
LR Lloyds Register	EN 61535	08/20047 (E2)

Ke stažení

Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 890-131	↓

Documentation

Bid Text			
890-131	20.11.2014	doc 21.50 KB	↓
890-131	19.02.2019	xml 2.62 KB	↓



CAD/CAE-Data	
CAD data	CAE data
2D/3D Models 890-131	WSCAD Universe 890-131
	
	ZUKEN Portal 890-131
	